




<b>User Guidance Information</b>	Hazardous Waste Notification Requirements	
Version: 2023-01	Effective Date: 01/03/2023	Pages: 1
Authorization Signature		
Replaces:		

**Objectives & Scope**

This guidance describes the compliance requirements necessary to meet the requirements of Section II-503 for Hazardous Waste Notification. This information is provided for guidance purposes only and addresses the general case. Specific facts about an individual User may result in a different result. This guidance is a statement of GLWA’s expectations.

**Discussion:**

The US EPA and State of Michigan may designate certain substances as Hazardous and Non-Hazardous Wastes subject to RCRA subtitle C and/or D. The GLWA rules include requirements for providing Hazardous Waste Notification at section II-503 as follows:

- All Industrial Users, who discharge into the Sewerage System, shall provide written notice to GLWA of any discharge of a substance which, if otherwise disposed of, would be a hazardous waste as set forth in 40 CFR 261.
  - The initial notification should comply with the requirements of 40 CFR 403.12(p).
  - Any additions or changes to the discharge should be submitted in accordance with 40 CFR 403.12(j).
- New Minimum Requirement: At the time a Significant Industrial User seeks a renewal of its GLWA Wastewater Discharge Permit, the SIU is required to provide documentation that its prior submission(s) has been reviewed and that:
  - There are changes to their 403.12p submission, as amended, and these changes were made in accordance with 403.12(j) [date]; or
  - There are changes to their 403.12p submission, as amended, and the Industrial user is now notifying the Control Authority of these changes (attach revised copies).
  - The facility does not discharge any listed or characteristic hazardous waste.

This provision does not create a right to discharge any substance not otherwise permitted to be discharged by these rules, or any permit issued thereunder, or any applicable Federal or State law.